

# Eurotunnel's dangerous goods guide 2021



# **Contents**

## ***I – Introduction to Eurotunnel’s dangerous goods policy***

## ***II – Definition of terms used***

## ***III – List of dangerous goods accepted***

Class 1:	Explosive substances and articles
Class 2:	Gases: compressed, liquefied or dissolved under pressure
Class 3:	Flammable liquids
Class 4.1:	Flammable solids
Class 4.2:	Substances liable to spontaneous combustion
Class 4.3:	Substances, which in contact with water, emit flammable gases
Class 5.1:	Oxidizing substances
Class 5.2:	Organic peroxides
Class 6.1:	Toxic substances
Class 6.2:	Infectious substances
Class 7:	Radioactive materials
Class 8:	Corrosive substances
Class 9:	Miscellaneous dangerous substances and articles

## ***IV – What to do on arrival at the Freight Terminal***

## ***V – Eurotunnel contact details***

## ***I – Introduction to Eurotunnel's dangerous goods policy***

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

Eurotunnel's dangerous goods policy is therefore intended to ensure the safety of its customers and staff, and the integrity of the Tunnel. This policy has been produced in close collaboration with industry and with relevant trade and professional bodies.

The carriage of dangerous goods through the Channel Tunnel must comply with ADR (Agreement concerning the International Carriage of Dangerous Goods by Road). Dangerous goods definitions are subject to the current revision of the ADR regulations and Eurotunnel Freight will accept, restrict or refuse goods on the basis of these definitions.

This dangerous goods policy has been decreed by a By-Law in the UK and an Arrêté Ministériel in France and forms an integral part of Eurotunnel's Conditions of Carriage. The carriage of dangerous goods must also comply with Eurotunnel's own regulations as described on this website, which are more stringent than those in ADR, to reflect the specific safety characteristics of the Channel Tunnel infrastructure. The carrier is responsible for ensuring that the goods being transported comply with these regulations.

Declarations must be made using the current revision of ADR applicable at the time of travel, in one of the official languages of ADR – English, French or German. Furthermore, it is also the carrier's responsibility to provide the compulsory documentation, including for vehicles travelling under the provisions of ADR chapter 1.1.3.6. Dangerous goods being carried under the ADR Limited Quantity, Excepted Quantity or any other Special Provisions, which do not need documentation, do not need to be declared at Check-in. However, if these goods are declared, a full ADR declaration must be provided.

Eurotunnel Freight reserves the right to authorise or refuse carriage of dangerous goods via Eurotunnel Freight, irrespective of their type, origin and / or destination.

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

## ***II – Definition of terms used***

Some of the specific terminology and expressions used in the Eurotunnel Freight dangerous goods policy are defined below.

### **Transport unit**

A transport unit is:

- a lorry or a trailer;
- a container or swap body;

A lorry with a coupled trailer represents two units of transport.

In the case of a lorry with trailer, carrying two containers, then each container represents a separate transport unit.

Wherever the term “transport unit” is used in this document, it shall be construed as a “transport unit” as defined above.

### **Unit package:**

The maximum volume of a particular product carried in one receptacle for transit through the Channel Tunnel.

### **Quantities:**

The quantities of goods are divided into three categories:

\* ***Carried with no restriction on quantity***

\* ***Carried subject to restriction on quantity:***

- **Product may be carried but maximum unit package size is restricted:**

No restriction on the quantity carried per unit of transport but must be in unit packages of

- 250 litres
- 400 kg
- 1000 litres (for gases with a Classification Code of 1O or 2O).

- **Maximum quantity per transport unit:**

Carriage is only permitted on the premise that the maximum quantity per transport unit is not exceeded. The number of packages and their volume is unrestricted provided that their overall volume or weight does not exceed the limit of the relevant class for each transport unit, as shown in the list of dangerous goods accepted.

If several products of the same class in any one transport unit fall into the same category, the sum of all their quantities must not exceed the limit of the relevant class for each transport unit.

- **Other maximum quantities allowed:**

The authorised limit is the net weight per transport unit unless otherwise indicated.

\* ***Not permitted / prohibited***

**It should be noted that this document only describes those substances accepted for carriage, with or without restrictions (see section III of this guide). Other goods classified as dangerous under ADR are not accepted for transit via Eurotunnel Freight.**

### **Empty Containers / Empty uncleaned:**

Eurotunnel Freight will accept, without restriction, the carriage of empty containers, which would have been accepted when full. Containers, which would not have been accepted for carriage when full, must be cleaned and an “ad-hoc” certificate to this effect submitted before carriage can be authorised.

### ***III – List of dangerous goods accepted***

The following list details those dangerous goods authorised for transit via Eurotunnel Freight by their ADR Class, UN Number and packing group. Restrictions are stated where applicable.

Dangerous goods that have two or more danger labels (labels 1 to 9) are not authorised for transit via Eurotunnel Freight, with the exception of the goods specified under Class 2. Further exceptions may be made for goods named in this guide that pose a secondary hazard derived from their method of packaging. This is the case for UN 3291 and UN 3245, which are accepted when packed in refrigerated liquid nitrogen.

**Please note that dangerous goods that do not appear in this list are not authorised for transit via Eurotunnel Freight.**

**However, goods that are not subject to ADR are also not included in this list but are authorised for transit via Eurotunnel Freight. This includes but is not limited to products such as straw (UN 1327) and dry ice (UN 1845), goods packed in limited or excepted quantities in accordance with ADR Chapters 3.4 and 3.5 and goods being transported under certain Special Provisions e.g. SP188.**

## ADR – Class 1: Explosive substances and articles

Substances and articles of Class 1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
0012	n/a	1.4S	Quantity accepted for carriage restricted to 15kg of net explosive substance per transport unit  Net = not including packaging
0014			
0044			
0055			
0070			
0105			
0110			
0131			
0173			
0174			
0193			
0323			
0337			
0345			
0349			
0366			
0367			
0368			
0373			
0376			
0384			
0404			
0405			
0432			
0441			
0445			
0454			
0455			
0456			
0460			
0500			
0506			
0507			
0513			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1002	n/a	1A	No restriction
1006			
1009			
1013			
1018			
1020			
1021			
1022			
1028			
1029			
1044		6A	
1046		1A	
1056			
1057		6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
1058		2A	No restriction
1065		1A	
1066			
1070		2O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
1072		1O	
1078			No restriction
1080		2A	
1858			
1913		3A	
1950		5A	
1950		5C	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
1950		5F	
1950		5O	
1950		5T	
1951		3A	
1952		2A	No restriction
1956		1A	
1958		2A	
1963		3A	
1968	2A		
1970	3A		
1973			
1974	2A		
1976			
1977	3A		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1982	n/a	2A	No restriction
1983			
1984			
2036			
2037		5A	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
2037		5F	
2037		5O	
2037		5T	
2187		3A	No restriction
2193		2A	
2422			
2424			
2451		2O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
2591		3A	No restriction
2599		2A	
2602		6A	
2857			
3070			
3136		3A	
3150		6F	
3156		1O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
3157		2O	
3158		3A	No restriction
3159		2A	
3163		6A	
3164			
3167			
3169		7T	
3220		2A	
3296			
3297			
3298			
3299			
3337			
3338			
3339			
3340			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



**ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure**

**Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
3478	n/a	6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
3479			
3500		8A	No restriction
3511		9A	
3513		9O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
3529		6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
3537			
3538		6A	No restriction
3539		6T	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1088	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
1090			
1091			
1104	III		
1105	II		
1105	III		
1107	II		
1109	III		
1110			
1111	II		
1112	III		
1113	II		
1114			
1120			
1120	III		
1123	II		
1123	III		
1126	II		
1127			
1128			
1129			
1130	III		
1133	II		
1133	III		
1134			
1136	II		
1136	III		
1139	II		
1139	III		
1145	II		
1146			
1147	III		
1148	II		
1148	III		
1149			
1150	II		
1152	III		
1153	II		
1153	III		
1156	II		
1157	III		
1159	II		
1161			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 3: Flammable liquids

**Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
1164	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
1165			
1166			
1169			
1169	III		
1170	II		
1170	III		
1171			
1172			
1173	II		
1175			
1176	III		
1177	II		
1178	III		
1179			
1180	III		
1188			
1189			
1190	II		
1191	III		
1192	II		
1193			
1195			
1197	III		
1201	II		
1201	III		
1202			
1203	II	D	
1204			
1206	III	F1	
1207			
1208			
1210			
1210	II		
1212	III		
1213	II		
1216			
1219			
1220			
1222			
1223	III		
1224	II		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1224	III	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
1229			
1231	II		
1233	III		
1234	II		
1237			
1245			
1246			
1247			
1248			
1249			
1261			
1262			
1263			
1263			
1264	II		
1265			
1266	III		
1267	II		
1267	III		
1268	II		
1268	III		
1272			
1274	II		
1274	III		
1275	II		
1276			
1278			
1279			
1281			
1282			
1286	III		
1286	II		
1287	III		
1288	II		
1288	III		
1292			
1293	II		
1293	III		
1294	II		
1299	III		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1300	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
1300	III		
1301	II		
1304			
1306	III		
1306	III		
1307	II		
1307	III		
1308	II		
1308	III		
1648	II		
1862			
1863			
1863	III		
1865	II		
1866			
1866	III		
1914			
1915			
1917	II		
1918	III		
1919	II		
1920	III		
1987	II		
1987	III		
1989	II		
1989	III		
1993	II		
1993	III		
1999	II		
1999	III		
2045	II		
2046	III		
2047	II		
2047	III		
2048			
2049			
2050	II		
2052	III		
2053			
2055			
2056	II		
2057			
2057	III		
2058	II		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2059	II	D	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
2059	III		
2219			
2222			
2227			
2234			
2238			
2241		II	
2242	III		
2243			
2244			
2245	II		
2246	III		
2247	II		
2251			
2252			
2256			
2263	III		
2265			
2271			
2275	II		
2277	III		
2278			
2282			
2283			
2286	II		
2287			
2288			
2293	III		
2296	II		
2297	III		
2298	II		
2301			
2302			
2303	III		
2309	II		
2313	III	F1	
2319			
2323			
2324			
2325			
2329			
2330			
2332			
2338			II
2339			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 3: Flammable liquids

**Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2340	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
2341	III		
2342	II		
2343			
2344	III		
2344			
2345	II		
2346			
2347			
2348	III		
2350	II		
2351			
2351	III		
2352	II		
2358			
2362			
2364	III		
2366			
2367	II		
2368	III		
2370	II		
2372			
2373			
2374			
2375			
2376			
2377			
2380			
2384			
2385			
2387			
2388			
2390			
2391			
2392			
2393	II		
2394	III		
2397	II		
2398			
2400			
2402			
2403	III		
2405			
2406			
2409	II		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 3: Flammable liquids

**Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
2410	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit	
2412				
2413				
2414	II			
2416				
2436				
2457				
2458				
2460				
2461				
2498				III
2514				
2520				
2524				
2527				
2528				
2536	II			
2541	III			
2554	II			
2560	III			
2607				
2608				
2612	II			
2614	III			
2615	II			
2616	III			
2616				
2617				
2618				
2620				
2621				
2707	II			
2707	III			
2709				
2710				
2752				
2838	II			
2840	III			
2842				
2850				
2933				
2934				
2935				
2943				
2947				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



## ADR – Class 3: Flammable liquids

**Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
3022	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
3054	III		
3056			
3065	II		
3065	III		
3092			
3269	II	F3	
3269	III		
3271	II	F1	
3271	III		
3272	II		
3272	III		
3295	II		
3295	III		
3336	II		
3336	III		
3371	II		
3473	n/a		
3475	II	F1	
3528	n/a	F3	
3540			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 4.1: Flammable solids

Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1309	II	F3	No restriction	
1309	III	F1		
1312		F3		
1313		II		F1
1314				F3
1318				F3
1323				III
1324	II	F1		
1325	III	F3		
1325	II	F1		
1326	III	F3		
1328	II	F3		
1330	III	F1		
1331		F3		
1332		F1		
1333	II	F3		
1334	III	F1		
1338	II	F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
1339		F1		
1341		F3		
1343		F1		
1345	III	F3	No restriction	
1346		F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
1350	II	F1	No restriction	
1352	III	F3		
1353	II	F1		
1358	III	F3		
1869		F1		
1944		F3		
1945		F1		
2000		F3		
2001		F1		
2213		F3		
2254		F1		
2538	III	F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
2623		F1		
2687		F3		
2714		F1		
2715	III	F3	No restriction	
2717		F1		
2858		F3		
2878		F3		
2956		SR1		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 4.1: Flammable solids

**Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2989	II	F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit
2989	III		
3089	II		No restriction
3089	III		
3178	II		Quantity accepted for carriage restricted to a maximum of 8t per transport unit
3178	III		
3181	II		No restriction
3181	III		
3182			
3241			
3242	II	SR1	Quantity accepted for carriage restricted to a maximum of 400kg per transport unit
3251	III	F1	No restriction
3270	II		
3527	II		
	III		
3541	n/a	F4	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**ADR – Class 4.2: Substances liable to spontaneous combustion**

No substances of this Class will be accepted for carriage  
via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight  
(see section III of this guide)

**ADR – Class 4.3: Substances which in contact with water emit flammable gases**

No substances of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 5.1: Oxidizing substances

**Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
1438	III	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1444			
1450	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1451	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1452	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1454	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1455	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1456			
1457			
1458			
1458	III		
1459	II		
1459	III		
1461	II		
1465	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1466			
1467			
1471	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1471	III		
1472	II		
1473			
1474	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1475	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1476			
1477	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1477			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 5.1: Oxidizing substances

**Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
1479	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1479	III		
1481	II		
1481	III		
1482	II		
1482	III		
1483	II		
1483	III		
1484	II		
1485			
1486	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1487	II		Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1488			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1489			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1490			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1492	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1493	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1494			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1495			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1498	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1499			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1502	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1503			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1505	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1506	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1507	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 5.1: Oxidizing substances

**Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
1508	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1509				
1512			Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1513			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1514			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1515			III	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1516				
1748				
1748				
2208				
2427				
2427	II	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2428	III			
2428	II			
2428	III			
2429	II			
2429	III			
2465	II	O2	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2468				
2469	III		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2627	II		Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2720	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2721	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2722	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



## ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction		
2723	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2724	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2725			Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2726			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2728			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2880	II	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2880	III				
3139					
3210	II				
3210	III				
3211	II				
3211	III				
3212	II			O2	
3213	III			O1	
3213					
3214					
3215	III			O2	
3216				O1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3218					Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3218		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum			
3219	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum				
3219	III				
3247	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3356	n/a	O3			
3377	III	O2			
3378	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3378	III				
3407	II	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3407	III				
3544	n/a	O3			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## **ADR – Class 5.2: Organic peroxides**

No substances or articles of this Class will be accepted for carriage  
via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight  
(see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
1544	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1544	III		No restriction
1547	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1548	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1549		T5	No restriction
1550			
1551			
1564	II		
1564	III	No restriction	
1577	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1578		T2	
1579		III	
1583	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1583	III		No restriction
1590	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1591 1593	III		No restriction
1594	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1596			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1597			T1
1597	III		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
1598	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1599		T1		
1599	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1601	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1601	III			No restriction
1602	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1602	III			No restriction
1611	II			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1616	III	T5	No restriction	
1650	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1651				
1652		T1		
1654				
1655		T2		No restriction
1656	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1656	III			No restriction
1657	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1658		T1		
1658				III
1659	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1661				
1662		T1		
1663	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
1664	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1665				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
1669	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1671				
1673	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
1690		T5	No restriction	
1693	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1697		T2		
1701		T1		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1702				
1704				
1708				
1709	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
1710			No restriction	
1711	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1812	III	T5	No restriction	
1843	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1846		T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1851			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1851			No restriction	
1884		III	T5	No restriction
1885	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
1886	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1887	III		No restriction
1888			No restriction
1891	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1897	III		No restriction
2016	n/a	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2018	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2019		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2020	III	T2	No restriction
2021		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2038	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2074	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2075	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2077	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2078	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2205	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2206	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2206	III		No restriction
2224	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2233	III	T2	No restriction
2235			
2236	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2237	III	T2	No restriction
2239			
2250	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2253		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2261		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2272	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2273			
2274			No restriction
2279			
2281	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2290	III	T5	No restriction
2291			
2294	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2299			No restriction
2300			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2306	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2307			
2311	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2321			No restriction
2322	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2328	III	T1	No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2431	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2432			
2433			No restriction
2446		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2470	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2490			
2501			No restriction
2501			
2504	III	T5	
2505			
2512		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2515		T1	
2516		T2	No restriction
2518			
2522	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2525	III		No restriction
2533			
2542	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2552			
2567			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2570		III	T5
2572	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2574			
2587		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2588			T7

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2588	III	T7	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2609			No restriction
2643	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2645			
2647		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2648		T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2649		T2	
2650		T1	
2651		III	T2
2653	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2655	III	T5	No restriction
2656		T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2659			No restriction
2660		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2661			No restriction
2664			
2667			
2669		II	T1
2669	III		No restriction
2671	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2673			
2674	III	T5	No restriction
2688			
2689			
2690	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2713	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2716			No restriction
2729		T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2730			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2732			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2738	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2747	III		No restriction
2750	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2753	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2754	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2757			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2757	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2759	II	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2759	III	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2761	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2761	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2763	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2763	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
2771	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2771	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2775	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2775	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2777	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2777	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2779	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2779	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2781	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2781	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2783	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2783	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2785			T1	No restriction
2786	II		T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
2786	III	T7	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2788	II	T3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2788	III		No restriction	
2810	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2810	III		No restriction	
2811	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2811	III		No restriction	
2821	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2821	III		No restriction	
2822	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2831	III		No restriction	
2839	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2849	III		T5	No restriction
2853				
2854				
2855				
2856				
2859	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2861	III	No restriction		
2862	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2863	III	No restriction		
2864		No restriction		
2871	III	No restriction		
2872	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2872	III		No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
2873	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2874			No restriction	
2875				
2876				
2902	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2902	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2931	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2936		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2937			No restriction	
2941			III	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2942				
2946				
2948		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2966		II	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2992		T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2992	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2994	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2994	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2996	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2996	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2998	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2998	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3006	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3006	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3010	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3010	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3012	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3012	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3014	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3014	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3016	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3016	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3018	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
3018	III	T6	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3020	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3020	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3026	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3026	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3027	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3027	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3140	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3140	III	T4	No restriction
3141			
3142	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3142	III		No restriction
3143	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3143	III		No restriction
3144	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3144	III		No restriction
3146	II	T3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3146	III		No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
3155	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3172		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3172	III		No restriction
3243	II	T9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3249		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3249		III	No restriction
3276	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3276	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3278	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3278	III		No restriction
3284	II		T5
3284	III	No restriction	
3285	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3285	III	No restriction	
3287	II	T4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3287	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3288	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3288	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
3293	III	T4	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3302	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3345		T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3345	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3348	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3348	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3349	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3349	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3352	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3352	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3409	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3410	III			No restriction
3411	II			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3411	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
3415	III	T4	No restriction
3416	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3417		T2	
3418	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3422		T4	No restriction
3424	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3424	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3426		No restriction	
3427		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3428	II		No restriction
3429	III	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3430	II		T2
3431		III	T1
3434	III	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3436	II		No restriction
3437	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3438	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3439	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3439	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3441	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3442			
3443			
3444			
3445			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
3446	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3447			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3448			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3451			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3452			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3454			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3457	III		No restriction
3458			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3459			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3460			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3462	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3462	III		No restriction
3464	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3464	III		No restriction
3546	n/a	T10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.2: Infectious substances

Substances and articles of Class 6.2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification code I3 when packed in refrigerated liquid nitrogen (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3291	n/a	I3	No restriction
3373		I4	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 7: Radioactive materials

**The carriage of Radioactive Materials of Class 7 (listed below) is only authorised through Eurotunnel Freight with Eurotunnel's prior agreement.**

Substances and articles of Class 7 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

Class 7 and Class 1 commodities cannot be transported together in the same transport unit.

For more information regarding both the restrictions on the carriage of Radioactive Materials and the procedure for gaining authorisation for transit via Eurotunnel Freight, please refer to section V of this guide (Eurotunnel contact details).

UN Number	Packing Group	Classification Code	Restriction	
2908	n/a	n/a	No restriction on this type of product.	
2909				
2910				
2911				
2912			Restricted solely to non combustible solids of new manufactured goods in their original packaging.	
2913				
2915				Restricted to manufactured products only
3321				Restricted solely to non combustible solids of new manufactured goods in their original packaging.
3322				
3332				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 8: Corrosive substances

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
1716	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1718	III		No restriction	
1719	II			
1719	III			
1725	II	C2		
1726		C3		
1728		C4		
1729		C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1730				
1731				
1731	III	No restriction		
1733	II	C2		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1736		C3		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1742			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1743				
1753				
1755		III		No restriction
1757		II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1757	III	No restriction		
1759	II	C10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1759	III		No restriction	
1760	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1760	III		No restriction	
1762	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1763				
1764				
1765				
1766		C1		
1768		C3		
1769		C10		
1770		C3		
1771	III	C2	No restriction	
1773		No restriction		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 8: Corrosive substances

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
1774	II	C11	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1775		C1		
1776				
1778				
1780				
1781				
1782				
1783	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1783				
1784	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1787				
1787				III
1788	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1788	III		No restriction	
1789	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1789	III		No restriction	
1791	II		C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1791	III			No restriction
1792	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1793	III	C3	No restriction	
1799	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1800				
1801				
1803				
1804				
1805				III
1806	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1807				
1808		C1		
1813		C6	No restriction	
1814		C5		
1814				III
1817	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 8: Corrosive substances

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
1818	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1819		C5	No restriction	
1819	III	C6		
1823	II	C5		
1824		III		C6
1825	II	C1		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1827		C7		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1835		III		C1
1835	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1837		C1	No restriction	
1839	III	C6		
1840	II	C3		
1847	II	C3		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1848		C6		No restriction
1849	III	C6		
1898	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1902	III		No restriction	
1903	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1903	III	C6	No restriction	
1907				
1908	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1908	III		No restriction	
1938	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1938	III		No restriction	
1939	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1940		C3		
2028		C11		
2033		C6		No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



## ADR – Class 8: Corrosive substances

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2079	II	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2209	III	C9	No restriction
2214		C4	
2215		C3	
2215		C4	
2225		C3	
2226	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2259	II	C7	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2262		C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2269	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2280		C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2289		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2305	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2320	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2326			
2327			
2331		C2	No restriction
2430	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2430	III		No restriction
2434	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2435			
2437			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 8: Corrosive substances

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
2440	III	C2	No restriction
2442	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2443		C1	
2475	III	C2	No restriction
2491		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2496		C3	No restriction
2503			
2506	II	C2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2507	III		No restriction
2508			
2509	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2511	III	C3	No restriction
2513	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2531			No restriction
2564			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2564	III		No restriction
2565			C7
2571	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2577			
2578	III	C2	No restriction
2579		C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2580		C1	No restriction
2581			
2582			
2585	C4		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 8: Corrosive substances

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction	
2586	III	C3	No restriction	
2670	II	C4	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2672	III	C5	No restriction	
2677	II			
2677	III			
2678	II			C6
2679				C5
2679	III			
2680	II			C6
2681				C5
2681	III			
2682	II			C6
2691		C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2693	III	C1	No restriction	
2698		C4		
2705	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2735		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2735	III		No restriction	
2739	II	C3		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2751		C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2790				III
2790		n/a	C11	No restriction
2794*			C5	
2795				
2797	II	C5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2798		C3		
2799				
2800	n/a	C11	No restriction	
2801	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2801	III		C2	No restriction
2802				
2803		C10		

\* Wet acid batteries of UN 2794 transported as waste are prohibited unless transported under Special Provision 598

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2819	III	C3	No restriction
2820			
2823		C4	
2829		C3	
2834		C2	
2837		C1	
2865			
2869	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2869	III	C9	No restriction
2904			
2905		C10	
2949	II	C6	
2967	III	C2	
2987	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3028	n/a	C11	No restriction
3055	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3066	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3066	III		No restriction
3145	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3145	III		No restriction
3147	II	C10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3147	III		No restriction
3244	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3253	III	C6	No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 8: Corrosive substances

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
3259	II	C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3259	III	C8	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3260	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3260	III		No restriction
3261	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3261	III		C6
3262	II		
3262	III		
3263	II	C8	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3263	III		No restriction
3264	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3264	III		No restriction
3265	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3265	III		C5
3266	II		
3266	III		
3267	II	C7	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3267	III		C5
3320	II		
3320	III		
3412	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3412	III		No restriction
3419	II	C4	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3420			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 8: Corrosive substances

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

UN Number	Packing Group	Classification Code	Restriction
3423	II	C8	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3425		C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3453	III	C2	No restriction
3472		C3	
3498	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3547	n/a	C11	No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR - Class 9: Miscellaneous dangerous substances and articles

Substances and articles of Class 9 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification Code M8 when packed in refrigerated liquid nitrogen (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1931	III	M11	No restriction	
1941				
1990				
2071	n/a			
2211	III	M3		
2969	II	M11		
2990	n/a	M5		
3072				
3077	III	M7		
3082		M6		
3090	n/a	M4	Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum	
3091		No restriction		
3166			M11	
3171			M8	
3245			M9	
3257			III	M10
3258			n/a	M5
3268	III	M3		
3314	n/a	M11	Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum	
3316		M4		
3363			M11	No restriction
3480		n/a		
3481	M11			
3499			M4	
3508	M11			
3509			M4	
3530	M11			
3536		M11	Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum	
3548	M11		No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ***IV - What to do on arrival at the Freight Terminal***

**All dangerous goods accompanied with paperwork must be declared at Check-in \*unless transporting in Limited or Excepted Quantities.**

### **1 – Before arrival:**

Prior to your vehicle's arrival it is your responsibility to ensure that your Driver has a full ADR declaration (see point 4).

### **2 - On arrival at the Eurotunnel Freight Terminals in the UK and in France:**

Please ensure that your Driver is aware that he needs to make a dangerous goods declaration upon arrival at Check-in. He will then be re-directed to the Freight Driver Information Centre.

### **3 – On arrival at the Freight Driver Information Centre (FDIC):**

Your Driver must park in one of the spaces next to the Freight Driver Information Centre and report to the Customer Service Agent inside the building.

### **4 – Documentation required:**

Your driver must give the Customer Service Agent the paperwork (preferably in either English or French), which must include the following information, specifically for the registration of goods by Eurotunnel Freight.

- UN number
- Current ADR references (Class, Packing Group, & Classification Code, if required)
- Proper Shipping Name of goods carried (including their volume or weight)
- Details of packaging (number and description)
- Quantity (net / gross mass as appropriate)

You are encouraged to make sure that the information required is in your Driver's possession. Non declaration or incorrect paperwork can cause delays or rejection from our Terminals.

### **5 – Checks:**

The Customer Service Agent will check the paperwork against Eurotunnel's dangerous goods policy. An external check of the vehicle will be carried out and a copy of the dangerous goods paperwork will be taken.

Note – This examination has no bearing on possible Police or Customs examinations, which may take place before departure.

### **6 – Identification:**

Once authorised, the Driver will be issued with a sticker showing a Eurotunnel reference, which must be visible on the windscreen.

This sticker identifies the vehicle as carrying dangerous goods and it must not be removed until the end of the journey with Eurotunnel.

### **7 – Journey through the system:**

Your Driver can return to his vehicle and follow the normal route through the Terminal.

**If you wish to order more copies of this guide, please refer to section V.**



**V – Eurotunnel contact details**

For further information on Eurotunnel Freight's dangerous goods policy, please contact:

Eurotunnel Freight Commercial Department  
UK Terminal  
Ashford Road  
Folkestone  
Kent CT18 8XX  
United Kingdom

Tel + 44 (0) 1303 282 244  
Email [freight@eurotunnel.com](mailto:freight@eurotunnel.com)

Eurotunnel  
Service Commercial Fret  
Siège d'Exploitation  
B.P. 69  
62904 Coquelles Cedex  
France

Tél + 33 (0) 3 21 00 64 65  
Email [freight@eurotunnel.com](mailto:freight@eurotunnel.com)